| DESCRIP | WIRE SIZE | STUD/TAB SIZE | CRIMP & | SOLDER & | CRIMP, SOLDER | NYAX CRIMP | CLEAR VIEW |
|-----------|-------------------|---------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------|
| | | | SEAL | SEAL | & SEAL (C) | & SEAL | CRIMP & SEA |
| | | | (A) | (B) | (C) | (A) | (D) |
| | 24-20 GA | SEAMLESS | 40024 | 60024 | 80024 | | |
| | | S/L WINDOW | | | | | 99082 |
| | 22-18 GA | SEAMLESS | 20082 | 60082 | 80082 | 40082 | |
| | | S/L LONG | 20082L | | | 40082L | |
| | | S/L WINDOW | | | | | 99172 |
| BUTTS | 16-14 GA | SEAMLESS | 20172 | 60172 | 80172 | 40172 | |
| | | S/L LONG | 20172L | | | 40172L | |
| | | S/L WINDOW | | | | | 99312 |
| | 12-10 GA | SEAMLESS | 20312 | 60312 | 80312 | 40312 | |
| | | S/L LONG | | | | 40312L | |
| | 8 GA | SEAMLESS | 40624 | 60624 | | 70624 | |
| | 6 GA | SEAMLESS | 40625 | | | | |
| | 26-24 TO 22-16 GA | SEAMLESS | 40315 | | 80315 | 70315 | |
| | 26-24 TO 22-16 GA | S/L WINDOW | | | | | 78315 |
| STEP DOWN | 22-18 TO 16-14 GA | SEAMLESS | 40316 | | 80316 | 70316 | |
| | 22-18 TO 16-14 GA | S/L WINDOW | | | | | 78316 |
| BUTTS | 16-14 TO 12-10 GA | SEAMLESS | 40317 | | 80317 | 70317 | |
| | | S/L WINDOW | | | | | 78317 |
| | 12-10 TO 8 GA | SEAMLESS | 40318 | | 80318 | 70318 | |
| WINDOW | 22-18 GA | S/L WINDOW | | | | 71082 | |
| BUTTS | 16-14 GA | S/L WINDOW | | | | 71172 | |
| | 12-10 GA | S/L WINDOW | | | | 71312 | |
| | 22-18 GA | 4 | 40014 | | | 70014 | |
| | | 6 | 40020 | 60020 | 80020 | 70020 | |
| | | 6 SLIM | 40021 | | | 70021 | |
| | | 8 | 40030 | 60030 | 80030 | 70030 | |
| | | 8 LONG | 40030L | | | 70030L | |
| | | 8 SLIM | 40038 | | | 70038 | |
| | | 10 | 40040 | 60040 | 80040 | 70040 | |
| RINGS | | 10 LONG | 40040L | | | 70040L | |
| | | 1/4 | 40041 | 60041 | 80041 | 70041 | |
| | | 1/4 SLIM | 40044 | | | 70044 | |
| | | 5/16 | 40042 | 60042 | 80042 | 70042 | |
| | | 3/8 | 40043 | 60043 | 80043 | 70043 | |
| | | 6-8-10 MULTI | 40040M | | | 70040M | |
| | | 1/2 | 40204 | | | 70204 | |
| | | 4 | 40084 | | | 70084 | |
| | 16-14 GA | 6 | 40086 | | | 70086 | |
| | | 6 SLIM | 40085 | 50000 | 00000 | 70085 | |
| | | 8 | 40090 | 60090 | 80090 | 70090 | |
| | | 8 LONG | 40090L | | | 70090L | |
| | | 8 SLIM | 40098 | 60460 | 80460 | 70098 | |
| DINGS | | 10 | 40100 | 60100 | 80100 | 70100 | |
| RINGS | | 10 LONG | 40100L | 60101 | 90101 | 70100L 70101 | |
| | | 1/4 | 40101 | 60101 | 80101 | | |
| | | 1/4 SUM | 40114 | 60103 | 80102 | 70114 70102 | |
| | | 5/16 | 40102 40103 | 60102 60103 | 80102 80103 | 70102 | |
| | | 3/8 | 40103 | 00103 | 90103 | 70103 | |
| | | 1/2 6-8-10 MULTI | 40104 40100M | | | 70104 70100M | |
| | | | 40205 | | | 70205 | |
| | 12-10 GA | | 40205 | | | 70205 | |
| | | 6 6 SLIM | 40210 | | | 70210 | |
| | | 8 SLIM | 40213 | | | 70213 | |
| | | | 40225 | | | 70225 | |
| | | 8 SUM 10 | 40225 | 60230 | 80230 | 70230 | |
| RINGS | | | 40230L | 00230 | 80230 | 70230L | |
| | | 10 LONG | 40230L 40236 | | | 70230L 70236 | |
| | | 10 WIDE | | 60240 | 90240 | | |
| | | 1/4 | 40240 | 60240 | 80240 | 70240 | |
| | | 1/4 SUM | 40245 | | | 70245 | |
| | | FIAC | 40250 | 60250 | | 70250 | |
| | | 5/16 | 40250 | 60250 | 80250 | 70250 | |
| | | 5/16 3/8 1/2 | 40250 40260 40233 | 60250 60260 60233 | 80250 80260 80233 | 70250 70260 70233 | |

Heat Shrink Terminals

| U |
|-----------|
| _ |
| α |
| ת בו |
| |
| $\cdot =$ |
| |
| rm |
| |
| _ |
| U |
| <u> </u> |
| 1 |
| |
| |
| ink |
| .= |
| |
| |
| _ |
| |
| Ο, |
| |
| - |
| U |
| |
| 7 |
| - 1 |
| _ |
| |
| |
| |
| |

| DESCRIP | WIRE SIZE | STUD/TAB SIZE | CRIMP & | SOLDER & | CRIMP, SOLDER | NYAX CRIMP | CLEAR VIEW |
|----------|---------------|-------------------|----------------|----------|---------------|----------------|-------------|
| | | | SEAL | SEAL | & SEAL (C) | & SEAL | CRIMP & SEA |
| | | | (A) | (B) | (C) | (A) | (D) |
| | | 8 | 40608 | | | 70608 | |
| | | 10 SUM | 40609 | | | 70609 | |
| RINGS | 8 GA | 10 | 40610 40611 | | | 70610 70611 | |
| MINGS | <i>3 3,</i> 1 | 5/16 | 40612 | | | 70612 | |
| | | 3/8 | 40613 | | | 70613 | |
| | | 1/2 | 40614 | | | 70614 | |
| | | 1/2 LONG | 40614L | | | 70614L | |
| | 22-18 GA | | 40400 | | | 70400 | |
| 3 WAY | 16-14 GA | | 40410 | | | 70410 | |
| | 12-10 GA | | 40420 | | | 70420 | |
| | 22-18 GA | | 40430 | | | 70430 | |
| 4 WAY | 16-14 GA | | 40440 | | | 70440 | |
| | 12-10 GA | 4 | 40450 | | | 70450 | |
| | | 6 | 40054 40050 | | | 70054 70050 | |
| | | 6 SNAP | 40051 | | | 70051 | |
| | | 6 BLOCK | 40052 | | | 70052 | |
| | | 6 FLANGED | 40053 | | | 70053 | |
| | | 6 SHORT | 40055 | | | 70055 | |
| | | 6 WIDE BLOCK | 40056 | | | 70056 | |
| SPADES | | 8 | 40060 | | | 70060 | |
| | 22-18 GA | 8 SNAP | 40061 | | | 70061 | |
| | | 8 BLOCK | 40062 | | | 70062 | |
| | | 8 FLANGED | 40063 | | | 70063 | |
| | | 8 SLIM BLOCK | 40068 | 60070 | 90070 | 70068 | |
| | | 10 10 SNAP | 40070 40071 | 60070 | 80070 | 70070 70071 | |
| | | 10 SNAP | 40072 | | | 70072 | |
| | | 10 FLANGED | 40073 | | | 70073 | |
| | | 1/4 | 40075 | | | 70075 | |
| | | 4 BLOCK | 40144 | | | 70144 | |
| | | 6 | 40140 | | | 70140 | |
| | | 6 SNAP | 40141 | | | 70141 | |
| | | 6 BLOCK | 40142 | | | 70142 | |
| | | 6 FLANGED | 40143 | | | 70143 | |
| | | 6 WIDE BLOCK | 40146 | | | 70146 | |
| 654556 | | 8 | 40150 | | | 70150 | |
| SPADES | 16-14 GA | 8 SNAP 8 BLOCK | 40151 40152 | | | 70151 70152 | |
| | | 8 FLANGED | 40153 | | | 70153 | |
| | | 8 SLIM BLOCK | 40158 | | | 70158 | |
| | | 10 | 40160 | 60160 | 80160 | 70160 | |
| | | 10 SNAP | 40161 | | | 70161 | |
| | | 10 BLOCK | 40162 | | | 70162 | |
| | | 10 FLANGED | 40163 | | | 70163 | |
| | | 1/4 | 40165 | | | 70165 | |
| | 12-10 GA | 6 | 40270 | | | 70270 | |
| | | 6 SNAP | 40271 | | | 70271 | |
| | | 6 BLOCK | 40272 | | | 70272 | |
| SPADES | | 6 FLANGED 8 | 40273 40280 | | | 70273 70280 | |
| 21. MDE2 | | 8 SNAP | 40280 | | | 70280 | |
| | | 8 BLOCK | 40282 | | | 70282 | |
| | | 8 FLANGED | 40283 | | | 70283 | |
| | | 10 | 40290 | 60290 | 80290 | 70290 | |
| | | 10 SNAP | 40291 | | | 70291 | |
| | | 10 BLOCK | 40292 | | | 70292 | |
| | | 10 FLANGED | 40293 | | | 70293 | |
| | | 1/4 | 40234 | | | 70234 | |
| | | 1/4 SNAP | 40241 | | | 70241 | |
| | | 6 | 40067 | | | 70067 | |
| HOOKS | 22-18 GA | 8 | 40077 | | | 70077 | |
| | | 10 | 40087 | | | 70087 | |

| DESCRIP | WIRE SIZE | STUD/TAB SIZE | CRIMP & | SOLDER & | CRIMP, SOLDER | NYAX CRIMP | CLEAR VIEW |
|------------|-----------|----------------------|----------------------|----------|---------------|----------------------|-------------|
| | | | SEAL | SEAL | & SEAL (C) | & SEAL | CRIMP & SEA |
| | | | (A) | (B) | (C) | (A) | (D) |
| | | 6 | 40105 | | | 70105 | |
| HOOKS | 16-14 GA | 8 | 40110 | | | 70110 | |
| | | 10 | 40120 | | | 70120 | |
| | | 6 | 40128 | | | 70128 | |
| HOOKS | 12-10 GA | 8 | 40129 | | | 70129 | |
| | | 10 | 40130 | | | 70130 | |
| | 22-18 | .187 TAB FEM | 42188 | | | | |
| | | .250 TAB FEM | 40188 | | | 70188 | |
| FLAGS | 16-14 | .187 TAB FEM | 42189 | | | | |
| | | .250 TAB FEM | 40189 | | | 70189 | |
| | 12-10 | .250 TAB FEM | 40190 | | | 70190 | |
| | | .110 TAB MALE | 40088 | | | 70088 | |
| | | .110 TAB FEM | 40191 | | | 70191 | |
| | | .187 TAB FEM | 40192 | | | 70192 | |
| QUICK | 22-18 GA | .187 TAB MALE | 40197 | | | 70197 | |
| CONNECTS | | .250 TAB FEM | 40176 | 60176 | 80176 | 70176 | |
| | | .250 TAB MALE | 40177 | 60177 | 80177 | 70177 | |
| | | .110 TAB MALE | 40089 | | | 70089 | |
| | | .110 TAB FEM | 40194 | | | 70194 | |
| | | .187 TAB FEM | 40195 | | | 70195 | |
| QUICK | 16-14 GA | .187 TAB MALE | 40198 | | | 70133 | |
| CONNECTS | 10 11 0/1 | .250 TAB FEM | 40180 | 60180 | 80180 | 70180 | |
| CONNECTS | | .250 TAB MALE | 40181 | 60181 | 80181 | 70181 | |
| | | | 40187 | 00181 | 90181 | 70187 | |
| OLUCK | 12-10 GA | .250 TAB FEM | 40186 | | | 70186 | |
| QUICK | 12-10 GA | .250 TAB MALE | 40166 | | | 70166 | |
| CONNECTS | | .375 TAB FEM | | | | | |
| | 22-18 GA | .157 N/I FEM BULLET | 40285 | | | 70285N | |
| | | .157 V/I FEM BULLET | 40204 | | | 70285 | |
| | | .157 U/I MALE BULLET | 40284 | | | 70284 | |
| | | .157 N/I MALE BULLET | | | | 70284N | |
| BULLETS | | .180 V/I FEM BULLET | 40785 | | | 70785 | |
| | | .180 N/I FEM BULLET | | | | 70785N | |
| | | .180 V/I MALE BULLET | 40784 | | | 70784 | |
| | | .157 N/I MALE BULLET | | | | 70784N | |
| | | .157 N/I FEM BULLET | 40185 | | | 70185N | |
| | | .157 V/I FEM BULLET | | | | 70185 | |
| | 16-14 GA | .157 U/I MALE BULLET | 40184 | | | 70184 | |
| | | .157 N/I MALE BULLET | | | | 70184N | |
| BULLETS | | .180 V/I FEM BULLET | 40685 | | | 70685 | |
| | | .180 N/I FEM BULLET | 40685N | | | 70685N | |
| | | .180 V/I MALE BULLET | 40684 | | | 70684 | |
| | | .180 U/I MALE BULLET | 47684 | | | 77684 | |
| | | .180 N/I MALE BULLET | | | | 70684N | |
| | | .195 V/I FEM BULLET | 40485 | | | 70485 | |
| | | .195 N/I FEM BULLET | | | | 70485N | |
| | | .195 U/I MALE BULLET | 40484 | | | 70484 | |
| BULLETS | | .195 V/I FEM BULLET | 40385 | | | 70385 | |
| | 12-10 GA | .195 U/I MALE BULLET | 40384 | | | 70384 | |
| | 22-18 | .250 TAB FEMALE | 40662 | | | 70662 | |
| PIGGYBACKS | 16-14 | .250 TAB FEMALE | 40663 | | | 70663 | |
| | 12-10 | .250 TAB FEMALE | 40664 | | | 70664 | |
| FULLY INS | 12.10 | .250 TAB FEMALE | 40207 | 60179 | 80179 | 70207 | |
| | 22-18 GA | .250 TAB MALE | 40206 | 00173 | 00175 | 70206 | |
| | | .250 TAB FEMALE | 40207-1H | | | 70200 70207-1H | |
| | | | 40207-1H 40206-1H | | | 70207-1H 70206-1H | |
| OTHER | | .250 TAB MALE | 40206-1H 40209 | 60183 | 80183 | 70209 | |
| QUICK | 16-14 GA | .250 TAB FEMALE | | 00103 | 90192 | | |
| CONNECTS | | .250 TAB MALE | 40208 | | | 70208 | |
| | | .250 TAB FEMALE | 40209-1H | | | 70209-1H | |
| | | .250 TAB MALE | 40208-1H | 60400 | 00400 | 70208-1H | |
| | 12-10 GA | .250 TAB FEMALE | 40213 | 60199 | 80199 | 70213 | |
| | | .250 TAB MALE | 40212 | | | 70212 | |

| DESCRIP | WIRE SIZE | STUD/TAB SIZE | CRIMP & | SOLDER & | CRIMP, SOLDER | NYAX CRIMP | CLEAR VIEW |
|------------|-----------|----------------------|----------|----------|---------------|------------|--------------|
| | | | SEAL | SEAL | & SEAL (C) | & SEAL | CRIMP & SEAL |
| | | | (A) | (B) | (C) | (A) | (D) |
| | | .250 TAB FEMALE | 44179 | | | 74179 | |
| | | .250 TAB MALE | 44178 | | | 74178 | |
| | 22-18 GA | .110 TAB FEMALE | 42191 | | | | |
| | | .187 TAB FEMALE | 42192 | | | | |
| | | .187 TAB MALE | 42197 | | | | |
| | | .250 TAB FEMALE | 44183 | | | 74183 | |
| | 16-14 GA | .250 TAB MALE | 44182 | | | 74182 | |
| | 16-14 GA | .187 TAB FEMALE | 42195 | | | | |
| | | .187 TAB MALE | 42198 | | | | |
| EXPANDED | | .250 TAB MALE | 90206 | | | | |
| CRIMP | 22-18 GA | .250 TAB FEMALE | 90207 | | | | |
| AREA | | .187 TAB FEMALE | 92192 | | | | |
| EXPANDED | 16.14.64 | .250 TAB MALE | 90208 | | | | |
| CRIMP AREA | 16-14 GA | .250 TAB FEMALE | 90209 | | | | |
| EXPANDED | | .250 TAB MALE | 99212 | | | | |
| CRIMP AREA | 12-10 GA | .250 TAB FEMALE | 90213 | | | | |
| | | .250 TAB FEMALE | 90213-1H | | | | |
| EXPANDED | | .157 N/I MALE BULLET | 90284 | | | | |
| | 22-18 GA | .157 N/I FEM BULLET | 90285 | | | | |
| CRIMP AREA | | .180 N/I FEM BULLET | 90785N | | | | |
| | | .157 N/I FEM BULLET | 90185 | | | | |
| EXPANDED | | .157 N/I MALE BULLET | 90184 | | | | |
| | 16.14.64 | .180 V/I MALE BULLET | 90684 | | | | |
| CRIMP | 16-14 GA | .180 N/I MALE BULLET | 90684N | | | | |
| AREA | | .180 V/I FEM BULLET | 90685 | | | | |
| | | .180 N/I FEM BULLET | 90685N | | | | |
| | 24-22 | STEP DOWN | | | | | HL40315 |
| j | 22-18 | STEP DOWN | | | | | HL40316 |
| HYDRA | 16-14 | STEP DOWN | | | | | HL40317 |
| LINK | 12-10 | STEP DOWN | | | | | HL40318 |
| ſ | 22-14 GA | CLOSED END | | | | | HL40570 |
| j | 18-10 GA | CLOSED END | | | | | HL40571 |





Crimp & Seal (A)





The terminals are copper (.110 alloy). The tubing is a high quality polyolefin or Nyax. Seamless connectors used on butts. Multiple wall heat shrinkable tubing, clearly marked. Rings and spades are brazed seam. Color coded with wire size.